ELSEVIER

Physica C 276 (1997) 321–323

PHYSICA C

Author Index to Volume 276

Antipov, E.V., see Gippius, A.A., **276**, 57
Antipov, E.V., see Kazakov, S.M., **276**, 139

Bando, Y., see Kawahara, T., **276**, 127
Banerjee, S.S., see Ravikumar, G., **276**, 9
Baran, M., see Dyakonov, V., **276**, 245
Barbanera, S., see Boffa, V., **276**, 218
Baydakova, M., see Grekhov, I., **276**, 18
Beaugnon, E., see Gautier-Picard, P., **276**, 35
Berastegui, P., see Gatt, R., **276**, 270
Bhattacharya, S., see Ravikumar, G., **276**, 9
Blatter, G., see Morais Smith, C., **276**, 42
Boffa, V., T. Petrisor, L. Ciontea, U. Gambardella and S. Barbanera, High-quality surface YBCO thin films prepared by off-axis pulsed laser deposition technique, **276**, 218
Bok, J. and J. Bouvier, Comment on the paper of S. Dorbolo et al. Physica C 267 (1996) 24–30 entitled: Influence of van Hove singularity...., **276**, 173
Bordet, P., S. LeFloch, C. Chaillout, F. Duc, M.F. Gorius, M. Perroux, J.J. Capponi, P. Toulemonde and J.L. Tholence, $AuBa_2(Y_{1-x},Ca_x)Cu_2O_7$: a new superconducting gold cuprate with T_c above 80 K, **276**, 237
Borevich, V., see Grekhov, I., **276**, 18
Bouvier, J., see Bok, J., **276**, 173
Bozio, R., see Pedron, D., **276**, 1
Bryntse, I., see Gatt, R., **276**, 270

Caldeira, A.O., see Morais Smith, C., **276**, 42
Cantoni, M., Y. Tanaka, M. Ishizuka and S. Horiuchi, Microstructure evolution in high-T_c Bi(Pb)-2223/Ag(Hf) tapes, **276**, 259
Capponi, J.J., see Bordet, P., **276**, 237
Capponi, J.J., see Kazakov, S.M., **276**, 139
Casañ-Pastor, N., see Ondoño-Castillo, S., **276**, 251
Chaillout, C., see Bordet, P., **276**, 237
Chaillout, C., see Kazakov, S.M., **276**, 139
Chandrasekhar Rao, T.V., see Ravikumar, G., **276**, 9
Chen, J., see Chen, W.M., **276**, 132
Chen, T.-M., see Lu, T.R., **276**, 75
Chen, W.M., J. Chen and X. Jin, A modified function of the formula of double iodometric titration, **276**, 132
Chen, Y.C., see Lin, C.W., **276**, 225
Ciontea, L., see Boffa, V., **276**, 218
Conder, K., see Schwer, H., **276**, 281

Davydov, V., see Grekhov, I., **276**, 18
Delimova, L., see Grekhov, I., **276**, 18
Diko, P., H. Kojo and M. Murakami, Microstructure of Nd–Ba–Cu–O superconductors prepared by the oxygen-controlled-melt-growth method, **276**, 185
Dorbolo, S., Answer to comment on the paper of S. Dorbolo et al., Physica C 267 (1996) 24–30 entitled: Influence of Van Hove singularity on the electronic specific heat of high-T_c superconductors, **276**, 175
Doroshenko, N., see Dyakonov, V., **276**, 245
Dou, S.X., see Li, S., **276**, 229
Duc, F., see Bordet, P., **276**, 237
Dyakonov, V., I. Fita, N. Doroshenko, M. Baran, S. Piechota and H. Szymczak, Insulator–superconductor transition in $NdBa_2Cu_3O_{6.67}$ ceramics under pressure, **276**, 245

Eastell, C.J., see Moore, J.C., **276**, 202
Eeltsev, Yu., see Gatt, R., **276**, 270
Ehmann, A., see Glaser, J., **276**, 91
Endo, A. and Y. Shiohara, Preferred orientation of Y_2BaCuO_5 particles entrapped by melt-textured $YBa_2Cu_3O_{7-\delta}$ crystals, **276**, 25
Er, G., S. Kikkawa, M. Takahashi and F. Kanamaru, XANES study on electron doped infinite-layer $Sr_{1-x}La_xCuO_2$ ($0 \le x \le 0.12$) and $(Sr_{1-y}Ca_y)_{0.9}La_{0.1}CuO_2$ ($0 \le y \le 0.20$) superconductors, **276**, 315

Feng, Q.R., see Guo, J.D., **276**, 277
Fita, I., see Dyakonov, V., **276**, 245
Fox, S., see Moore, J.C., **276**, 202
Fujihara, S., N. Yoshida and T. Kimura, Preparation of 94 K-superconducting $NdBa_2Cu_3O_{7-\delta}$ without post-anneal in oxygen, **276**, 69

Gambardella, U., see Boffa, V., **276**, 218
Gao, W., see Li, S., **276**, 229
Gatt, R., E. Olsson, A. Morawski, T. Lada, A. Paszewin, I. Bryntse, A.M. Grishin, Yu. Eeltsev, P. Berastegui and L.-G. Johansson, Hg-1212 and Hg-1223 single crystals: synthesis and characterisation, **276**, 270
Gautier-Picard, P., E. Beaugnon and R. Tournier, In-situ $YBa_2Cu_3O_x$ growth rate analysis, **276**, 35
Gippius, A.A., E.V. Antipov, W. Hoffmann and K. Lüders, Nuclear quadrupole interactions and charge localization in $HgBa_2CuO_{4+\delta}$ with different oxygen content, **276**, 57

Glaser, J., A. Ehmann, B. Seling, S. Lösch, P. Zoller, W. Wischert, S. Kemmler-Sack, J. Linhart and W. Reimers, Substitution and magnetic properties of Pb-1212, **276**, 91
Goringe, M.J., see Moore, J.C., **276**, 202
Gorius, M.F., see Bordet, P., **276**, 237
Grekhov, I., M. Baydakova, V. Borevich, V. Davydov, L. Delimova, I. Liniichuk and A. Lyublinsky, A new buffer layer for high-quality HTSC ultrathin film fabrication, **276**, 18
Grishin, A.M., see Gatt, R., **276**, 270
Grovenor, C.R.M., see Moore, J.C., **276**, 202
Grover, A.K., see Ravikumar, G., **276**, 9
Guo, J.D., G.C. Xiong, D.P. Yu, Q.R. Feng, X.L. Xu, G.J. Lian and Z.H. Hu, Preparation of superconducting $HgBa_2CaCu_2O_x$ films with a zero-resistance transition temperature of 121 K, **276**, 277

Haga, Y., see Ravikumar, G., **276**, 9
Hasan, M.K. and J.S. Kouvel, Vortex flux creep in polycrystalline YBCO following rotations in magnetic fields, **276**, 289
Hedo, M., see Ravikumar, G., **276**, 9
Hoffmann, W., see Gippius, A.A., **276**, 57
Hong, G.-W., see Kim, C.-J., **276**, 101
Horiuchi, S., see Cantoni, M., **276**, 259
Hu, Q.Y., see Li, S., **276**, 229
Hu, Z.H., see Guo, J.D., **276**, 277
Huang, J.C., see Lin, C.W., **276**, 225
Hyland, D.M.C., see Moore, J.C., **276**, 202

Inada, Y., see Ravikumar, G., **276**, 9
Ishizuka, M., see Cantoni, M., **276**, 259

Jin, X., see Chen, W.M., **276**, 132
Johansson, L.-G., see Gatt, R., **276**, 270
Jun, J., see Schwer, H., **276**, 281

Kanamaru, F., see Er, G., **276**, 315
Karpinski, J., see Schwer, H., **276**, 281
Kawahara, T., N. Sugiuchi, E. Komai, T. Terashima and Y. Bando, Hole and electron doping in ultrathin films with the infinite layer structure by electric field effect, **276**, 127
Kazakov, S.M., S. Pachot, E.M. Kopnin, S.N. Putilin, E.V. Antipov, C. Chaillout, J.J. Capponi, P.G. Radaelli and M. Marezio, Synthesis, neutron diffraction study and cation substitutions in $Sr_{n-1}Cu_{n+1}O_{2n}$ ($n = 3, 5$), **276**, 139
Kemmler-Sack, S., see Glaser, J., **276**, 91
Kikkawa, S., see Er, G., **276**, 315
Kim, C.-J., Y.-S. Lee, H.-S. Park, I.-H. Kuk, T.-H. Sung, J.J. Kim and G.-W. Hong, Oxidation induced formation of a–b planar defects in melt-textured $YBa_2Cu_3O_{7-y}$ containing Y_2BaCuO_5 inclusions, **276**, 101
Kim, J.J., see Kim, C.-J., **276**, 101
Kimura, T., see Fujihara, S., **276**, 69
Kinase, W., see Kuwata, S., **276**, 120
Kojo, H., see Diko, P., **276**, 185
Komai, E., see Kawahara, T., **276**, 127
Kondo, W., see Manabe, T., **276**, 160
Kopnin, E., see Schwer, H., **276**, 281
Kopnin, E.M., see Kazakov, S.M., **276**, 139
Kouvel, J.S., see Hasan, M.K., **276**, 289
Kozlowski, G., C. Varanasi, I. Maartense and C.E. Oberly, Use of high density Y_2BaCuO_5 substrates in the melt processing of $YBa_2Cu_3O_{7-x}$ bars with high transport critical current, **276**, 197
Kuk, I.-H., see Kim, C.-J., **276**, 101
Kumagai, T., see Manabe, T., **276**, 160
Kuwata, S. and W. Kinase, One dimensionality of the modulated structure in Pb-doped Bi-based high-T_c superconductors, **276**, 120

Lada, T., see Gatt, R., **276**, 270
Lanucara, M., see Silva, E., **276**, 84
Lee, Y.-S., see Kim, C.-J., **276**, 101
LeFloch, S., see Bordet, P., **276**, 237
Li, S., W. Gao, Q.Y. Hu, H.K. Liu and S.X. Dou, The effect of silver sheath on annealing texture of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ superconductor tapes, **276**, 229
Lian, G.J., see Guo, J.D., **276**, 277
Lin, C.W., J.-Y. Lin, H.D. Yang, T.H. Meen, H.L. Tsay, Y.C. Chen, J.C. Huang, S.R. Sheen and M.K. Wu, Synthesis of $PrBa_2Cu_4O_8$ at ambient oxygen pressure, **276**, 225
Lin, J.-Y., see Lin, C.W., **276**, 225
Linhart, J., see Glaser, J., **276**, 91
Liniichuk, I., see Grekhov, I., **276**, 18
Liu, H.K., see Li, S., **276**, 229
Lösch, S., see Glaser, J., **276**, 91
Lu, T.R. and T.-M. Chen, Structural and superconducting properties of phases in the underdoped $Y_2(Ba_{1-x}Sr_x)_4Cu_7O_{14+\delta}$ system: The evidence for a chemical pressure effect, **276**, 75
Lüders, K., see Gippius, A.A., **276**, 57
Lyublinsky, A., see Grekhov, I., **276**, 18

Maartense, I., see Kozlowski, G., **276**, 197
Manabe, T., I. Yamaguchi, S. Nakamura, W. Kondo, S. Mizuta and T. Kumagai, Carbon dioxide controlled annealing method for preparation of $YBa_2Cu_3O_{7-y}$ films by dipping-pyrolysis process, **276**, 160
Marcon, R., see Silva, E., **276**, 84
Marezio, M., see Kazakov, S.M., **276**, 139
Meen, T.H., see Lin, C.W., **276**, 225
Meijer, G.I., see Schwer, H., **276**, 281
Meng, R., see Yu, F., **276**, 295
Mishra, P.K., see Ravikumar, G., **276**, 9
Mizuta, S., see Manabe, T., **276**, 160
Molinski, R., see Schwer, H., **276**, 281
Moore, J.C., D.M.C. Hyland, C.J. Salter, C.J. Eastell, S. Fox, C.R.M. Grovenor and M.J. Goringe, Microstructure and phase development in melt processed Tl-1223 tapes, **276**, 202
Morais Smith, C., A.O. Caldeira and G. Blatter, Relaxation rates of flux-lines and flux-pancakes in the presence of correlated disorder, **276**, 42
Morawski, A., see Gatt, R., **276**, 270
Murakami, M., see Diko, P., **276**, 185

Nakamura, S., see Manabe, T., **276**, 160

Oberly, C.E., see Kozlowski, G., **276**, 197
Olsson, E., see Gatt, R., **276**, 270
Ondoño-Castillo, S. and N. Casañ-Pastor, Thermal and mechanical effects on the properties of $YBa_2Cu_3O_{7-\delta}$ deposits obtained by electrodeposition of precursors in presence of cyanide, **276**, 251
Onuki, Y., see Ravikumar, G., **276**, 9

Pachot, S., see Kazakov, S.M., **276**, 139
Park, H.-S., see Kim, C.-J., **276**, 101
Paszewin, A., see Gatt, R., **276**, 270
Patil, N.G., see Ravikumar, G., **276**, 9
Pedron, D., G. Visentini, R. Bozio, J.M. Williams and J.A. Schlueter, Phonon dynamics and superconductivity in the organic crystal κ-(BEDT-TTF)$_2$Cu[N(CN)$_2$]Br, **276**, 1
Perroux, M., see Bordet, P., **276**, 237
Petrisor, T., see Boffa, V., **276**, 218
Piechota, S., see Dyakonov, V., **276**, 245
Putilin, S.N., see Kazakov, S.M., **276**, 139

Qin, M.J., X.N. Xu, A.M. Sun, X.X. Yao, J.P. Zuo and S.Z. Yang, Magnetic response of disk shaped $YBa_2Cu_3O_{7-\delta}$ thin film to a perpendicular magnetic field, **276**, 167

Radaelli, P.G., see Kazakov, S.M., **276**, 139
Ramakrishnan, S., see Ravikumar, G., **276**, 9
Ravikumar, G., T.V. Chandrasekhar Rao, P.K. Mishra, V.C. Sahni, S. Saha, S.S. Banerjee, N.G. Patil, A.K. Grover, S. Ramakrishnan, S. Bhattacharya, E. Yamamoto, Y. Haga, M. Hedo, Y. Inada and Y. Onuki, Effect of field inhomogeneity on the magnetisation measurements in the peak effect region of $CeRu_2$ superconductor, **276**, 9
Reimers, W., see Glaser, J., **276**, 91
Rentschler, T., Doping of the quadruple perovskites of type $Nd_2Ba_2Cu_2Ti_{2-x}M_xO_{11}$, M = Mn, Fe, Co, Al and $NdBa_3Cu_2Ti_{1+x}Nb_{1-x}O_{11}$, **276**, 109
Rossel, C., see Schwer, H., **276**, 281

Saha, S., see Ravikumar, G., **276**, 9
Sahni, V.C., see Ravikumar, G., **276**, 9
Salter, C.J., see Moore, J.C., **276**, 202
Schlueter, J.A., see Pedron, D., **276**, 1
Schwer, H., E. Kopnin, R. Molinski, J. Jun, G.I. Meijer, K. Conder, C. Rossel and J. Karpinski, Effect of Pb doping on the structure of $HgBa_2CuO_{4+\delta}$ single crystals, **276**, 281
Seling, B., see Glaser, J., **276**, 91
Sheen, S.R., see Lin, C.W., **276**, 225
Shiohara, Y., see Endo, A., **276**, 25
Silva, E., M. Lanucara and R. Marcon, Microwave surface resistance peak at T_c in $Bi_2Sr_2CaCu_2O_{8+x}$ film, **276**, 84
Sugiuchi, N., see Kawahara, T., **276**, 127
Sun, A.M., see Qin, M.J., **276**, 167
Sunandana, C.S., see Suvarna, A.M., **276**, 65
Sung, T.-H., see Kim, C.-J., **276**, 101
Suvarna, A.M. and C.S. Sunandana, ESR of DPPH decorated CuO: a phase transition study, **276**, 65
Szymczak, H., see Dyakonov, V., **276**, 245

Takahashi, M., see Er, G., **276**, 315
Tanaka, Y., see Cantoni, M., **276**, 259
Terashima, T., see Kawahara, T., **276**, 127
Tholence, J.L., see Bordet, P., **276**, 237
Toulemonde, P., see Bordet, P., **276**, 237
Tournier, R., see Gautier-Picard, P., **276**, 35
Tsay, H.L., see Lin, C.W., **276**, 225

Varanasi, C., see Kozlowski, G., **276**, 197
Visentini, G., see Pedron, D., **276**, 1

White, K.W., see Yu, F., **276**, 295
Williams, J.M., see Pedron, D., **276**, 1
Wischert, W., see Glaser, J., **276**, 91
Wu, M.K., see Lin, C.W., **276**, 225

Xiong, G.C., see Guo, J.D., **276**, 277
Xu, X.L., see Guo, J.D., **276**, 277
Xu, X.N., see Qin, M.J., **276**, 167

Yamaguchi, I., see Manabe, T., **276**, 160
Yamamoto, E., see Ravikumar, G., **276**, 9
Yang, H.D., see Lin, C.W., **276**, 225
Yang, S.Z., see Qin, M.J., **276**, 167
Yao, X.X., see Qin, M.J., **276**, 167
Yoshida, N., see Fujihara, S., **276**, 69
Yoshinari, Y., Anisotropy of the Knight shift at planar oxygen sites in $YBa_2Cu_3O_x$: Possible location of the doped holes, **276**, 147
Yu, D.P., see Guo, J.D., **276**, 277
Yu, F., K.W. White and R. Meng, Mechanical characterization of top-seeded melt-textured $YBa_2Cu_3O_{7-\delta}$ single crystal, **276**, 295

Zhu, B.Y., Pinning, thermal fluctuation and Hall effect in the mixed state: a numerical study, **276**, 309
Zoller, P., see Glaser, J., **276**, 91
Zuo, J.P., see Qin, M.J., **276**, 167

ELSEVIER

Physica C 276 (1997) 324–325

PHYSICA C

Analytic Subject Index to Volume 276

Ac-susceptibility
–of $AuBa_2(Y_{1-x},Ca_x)Cu_2O_7$ 237
Amorphous phase 259
Annealing
–of $HgBa_2CaCu_2O_x$ films 277
–of $YBa_2Cu_3O_{7-y}$ 160
Applications of high-T_c superconductors 127

Band structure 175

Carbon dioxide partial pressure 160
Charge localization
–in $HgBa_2CuO_{4+\delta}$ 57
Charge redistribution
–in $NdBa_2Cu_3O_{6.67}$ 245
Chemical pressure effect 75
Chemical solution process 160
Critical current density 167
–in $NdBa_2Cu_3O_{7-\delta}$ 69
–of Bi(Pb)-2223/Ag(Hf) tape 259
–of YBCO thin film 218
Critical current
–of $YBa_2Cu_3O_{7-x}$ bars 197
Critical state model 9, 167
Cu-O chains 225
CuO planes
–in $YBa_2Cu_3O_x$ 147

Defect structure 281
2D electron-hole lattice 120
2D-superconductor 175

ESR of DPPH decorated CuO 65
Electric resistivity
–of $SrCuO_{2-\delta}$ 127
Electrical resistivity
–of $HgBa_2CaCu_2O_x$ films 277
–of $PrBa_2Cu_4O_8$ 225
–of $Y_2(Ba_{1-x}Sr_x)_4Cu_7O_{14+\delta}$ 75
–of YBCO thin film 218
Electrodeposition 251
Electron–phonon coupling
–in κ-$(BEDT\text{-}TTF)_2Cu[N(CN)_2]Br$ 1
Electron-doped superconductor 127, 315
Electronic specific heat 175
Electronic structure
–of $YBa_2Cu_3O_x$ 147
Entrapment
–of Y_2BaCuO_5 particles 25

Field inhomogeneity 9
Flexural strength
–of $YBA_2Cu_3O_{7-\delta}$ single crystal 295
Flux creep 42
–in YBCO disk 289
Flux density profiles 167
Flux density
–in YBCO disk 289
Flux pinning 42, 309
Fracture toughness
–of $YBA_2Cu_3O_{7-\delta}$ single crystal 295
Frequency dependence 84

Grain alignment (texturing) 35
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ 229
–of Y_2BaCuO_5 particles 25
Growth rate analysis 35

HRTEM
–on Bi(Pb)-2223/Ag(Hf) tape 259
Hall effect 42, 309
High-pressure synthesis
–of $Y_2(Ba_{1-x}Sr_x)_4Cu_7O_{14+\delta}$ 75
Hole concentration 127
–in $YBa_2Cu_3O_x$ 147

Infinite-layer 315
Iodometric titration function 132
Irradiation effect 42

Liquid phase epitaxy 270
Local polarization 120

Magnetic phase transitions in DPPh decorated CuO 65
Magnetic properties
–of $(Pb_{0.75}Cu_{0.25})Sr_2Y_{0.8}Ca_{0.2}Cu_2O_z$ 91
Magnetic rodent
–of $YBa_2Cu_3O_{7-\delta}$ thin film 167
Magnetic susceptibility
–of $Y_2(Ba_{1-x}Sr_x)_4Cu_7O_{14+\delta}$ 75
Magnetization
–of $CeRu_2$ 9
–of $NdBa_2Cu_3O_{7-\delta}$ 69
Mechanical characterization
–of $YBA_2Cu_3O_{7-\delta}$ single crystal 295
Melt processing
–of TlBi-1223 tapes 202
–of $YBa_2Cu_3O_{7-x}$ bars 197
Melt texturing
–of $YBa_2Cu_3O_{7-y}$ 101
Microcracking 185
Microstructure
–of Bi(Pb)-2223/Ag(Hf) tape 259
–of Nd-Ba-Cu-O superconductors 185
–of TlBi-1223 tapes 202
–of $YBa_2Cu_3O_{7-y}$ 101
Microstructures
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ 229
Mixed state 309
Modulated structure
–of Bi2212/Pb 120

NMR
–of $YBa_2Cu_3O_x$ 147
NQR
–in $HgBa_2CuO_{4+\delta}$ 57
Neutron diffraction
–on $(Pb_{0.75}Cu_{0.25})Sr_2Y_{0.8}Ca_{0.2}Cu_2O_z$ 91
–on $Sr_{n-1}Cu_{n+1}O_{2n}$ 139

Off-axis PLD 218
Organic superconductor 1
Oxygen ordering 245
Oxygen partial pressure 160
Oxygen stoichiometry 132
–in $Hg_{0.9}Pb_{0.1}Ba_2CuO_{4+\delta}$ 281
–in $HgBa_2CuO_{4+\delta}$ 57
–in $HgBa_2CuO_{4+\delta}$ 281

Peak effect 9
Phase development
–in TlBi-1223 tapes 202

Phonon spectrum
–of κ-(BEDT-TTF)$_2$Cu[N(CN)$_2$]Br 1
Planar defects
–in $YBa_2Cu_3O_{7-y}$ 101
Pressure effect 245
Pressure effects 251
Processing of superconductors 229

Raman scattering
–in κ-(BEDT-TTF)$_2$Cu[N(CN)$_2$]Br 1
Resistivity transition
–in $Bi_2Sr_2CaCu_2O_{8+x}$ film 84

SEM
–of YBCO thin film 218
Scanning electron microscopy
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 270
–of $HgBa_2CaCu_2O_{6+\delta}$ 270
Silver substrate 251
Single-crystal growth
–of $YBa_2Cu_3O_x$ 35
Sol–gel process 69
Solubility range
–of $Sr_{4-x}Nd_xCu_6O_{10}$ 139
Stripe configuration 120
Structure
–of $AuBa_2(Y_{1-x},Ca_x)Cu_2O_7$ 237
–of $Hg_{0.9}Pb_{0.1}Ba_2CuO_{4+\delta}$ 281
–of $HgBa_2CaCu_2O_x$ films 277
–of $HgBa_2CuO_{4+\delta}$ 281
–of $Nd_2Ba_2Cu_2Ti_{2-x}M_xO_{11}$:109
–of $NdBa_3Cu_2Ti_{1+x}Nb_{1-x}O_{11}$ 109
–of $PrBa_2Cu_4O_8$ 225
–of $Sr_{n-1}Cu_{n+1}O_{2n}$ 139
–of $Y_2(Ba_{1-x}Sr_x)_4Cu_7O_{14+\delta}$ 75
–of YBCO ultrathin film 18
Substitution effects
–in $(Pb_{0.75}Cu_{0.25})Sr_2Y_{0.8}Ca_{0.2}Cu_2O_z$ 91
Superconducting transition
–of $NdBa_2Cu_3O_{6.67}$ 245
Surface resistance
–of $Bi_2Sr_2CaCu_2O_{8+x}$ film 84
Susceptibility of DPPH decorated CuO 65
Synthesis
–of $AuBa_2(Y_{1-x},Ca_x)Cu_2O_7$ 237
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 270
–of $HgBa_2CaCu_2O_x$ films 277
–of $HgBa_2CaCu_2O_{6+\delta}$ 270
–of Nd-Ba-Cu-O superconductors 185
–of $Nd_2Ba_2Cu_2Ti_{2-x}M_xO_{11}$:109
–of $NdBa_2Cu_3O_{7-\delta}$ 69
–of $NdBa_3Cu_2Ti_{1+x}Nb_{1-x}O_{11}$ 109
–of $PrBa_2Cu_4O_8$ 225
–of $Sr_{n-1}Cu_{n+1}O_{2n}$ 139
–of YBCO ultrathin film 18
–of $YBa_2Cu_3O_x$ 35
Texture 197
Thermal fluctuation 309
Thermal microstresses 185
Thermal treatment
–of $YBa_2Cu_3O_{7-\delta}$ deposits 251
Thin films 127
–of $YBa_2Cu_3O_{7-y}$ 160
Tilt-type subgrain boundary 259
Transmission electron microscopy
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 270
–of $HgBa_2CaCu_2O_{6+\delta}$ 270

Undercooling method 25

Van Hole singularity 175

X-ray diffraction
–of $Hg_{0.9}Pb_{0.1}Ba_2CuO_{4+\delta}$ 281
–of $HgBa_2CuO_{4+\delta}$ 281
–on $(Pb_{0.75}Cu_{0.25})Sr_2Y_{0.8}Ca_{0.2}Cu_2O_z$ 91
XANES study
–on $(Sr_{1-y}Ca_y)_{0.9}La_{0.1}CuO_2$ 315
–on $Sr_{1-x}La_xCuO_2$ 315
XRD
–in YBCO thin film 218

ELSEVIER

Physica C 276 (1997) 326

PHYSICA C

Materials Index to Volume 276

$AuBa_2(Y_{1-x},Ca_x)Cu_2O_7$
–ac-susceptibility 237
–structure 237
–synthesis 237

κ-$(BEDT\text{-}TTF)_2Cu[N(CN)_2]Br$
–electron–phonon coupling 1
–phonon spectrum 1
–raman scattering 1
Bi(Pb)-2223/Ag(Hf) tape
–critical current density 259
–hRTEM 259
–microstructure 259
Bi2212/Pb
–modulated structure 120
$(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$
–grain alignment (texturing) 229
–microstructures 229
$Bi_2Sr_2CaCu_2O_{8+x}$ film
–resistivity transition 84
–surface resistance 84

$CeRu_2$
–magnetization 9

$Hg_{0.9}Pb_{0.1}Ba_2CuO_{4+\delta}$
–oxygen stoichiometry 281
–structure 281
–x-ray diffraction 281
$HgBa_2Ca_2Cu_3O_{8+\delta}$
–scanning electron microscopy 270
–synthesis 270
–transmission electron microscopy 270
$HgBa_2CaCu_2O_x$ films
–annealing 277
–electrical resistivity 277
–structure 277
–synthesis 277
$HgBa_2CaCu_2O_{6+\delta}$
–scanning electron microscopy 270
–synthesis 270
–transmission electron microscopy 270
$HgBa_2CuO_{4+\delta}$
–charge localization 57
–nQR 57
–oxygen stoichiometry 57
–oxygen stoichiometry 281
–structure 281
–x-ray diffraction 281

Nd-Ba-Cu-O superconductors
–microstructure 185
–synthesis 185
$Nd_2Ba_2Cu_2Ti_{2-x}M_xO_{11}$:109
–structure 91
–synthesis 91
$NdBa_2Cu_3O_{6.67}$
–charge redistribution 245
–superconducting transition 245
$NdBa_2Cu_3O_{7-\delta}$
–critical current density 69
–magnetization 69
–synthesis 69
$NdBa_3Cu_2Ti_{1+x}Nb_{1-x}O_{11}$
–structure 109
–synthesis 109

$(Pb_{0.75}Cu_{0.25})Sr_2Y_{0.8}Ca_{0.2}Cu_2O_z$
–magnetic properties 91
–neutron diffraction 91
–substitution effects 91
–x-ray diffraction 91
$PrBa_2Cu_4O_8$
–electrical resistivity 225
–structure 225
–synthesis 225

$(Sr_{1-y}Ca_y)_{0.9}La_{0.1}CuO_2$
–xANES study 315
$Sr_{n-1}Cu_{n+1}O_{2n}$
–neutron diffraction 139
–structure 139
–synthesis 139
$Sr_{1-x}La_xCuO_2$
–xANES study 315
$Sr_{4-x}Nd_xCu_6O_{10}$
–solubility range 139
$SrCuO_{2-\delta}$
–electric resistivity 127

TlBi-1223 tapes
–melt processing 202
–microstructure 202
–phase development 202

$Y_2(Ba_{1-x}Sr_x)_4Cu_7O_{14+\delta}$
–electrical resistivity 75
–high-pressure synthesis 75
–magnetic susceptibility 75
–structure 75
Y_2BaCuO_5 particles
–entrapment 25
–grain alignment (texturing) 25
$YBA_2Cu_3O_{7-\delta}$ single crystal
–flexural strength 295
–fracture toughness 295
–mechanical characterization 295
YBCO disk
–flux creep 289
–flux density 289
YBCO thin film
–critical current density 218
–electrical resistivity 218
–SEM 218
–XRD 218
YBCO ultrathin film
–structure 18
–synthesis 18
$YBa_2Cu_3O_x$
–cuO planes 147
–electronic structure 147
–hole concentration 147
–nMR 147
–single-crystal growth 35
–synthesis 35
$YBa_2Cu_3O_{7-\delta}$ deposits
–thermal treatment 251
$YBa_2Cu_3O_{7-\delta}$ thin film
–magnetic rodent 167
$YBa_2Cu_3O_{7-x}$ bars
–critical current 197
–melt processing 197
$YBa_2Cu_3O_{7-y}$
–annealing 160
–melt texturing 101
–microstructure 101
–planar defects 101
–thin films 160